



## 24 135 003 THERMOSTATIC SHOWER MIXER FOR 2 OUTLETS WITH INTEGRATED SHUT OFF/DIVERTER VALVE




### PRODUCT DESCRIPTION


- set for final installation for
- GROHE Rapido SmartBox 35 600/35 604
- **GROHE TurboStat** compact cartridge with wax thermoelement
- **GROHE StarLight** chrome finish
- wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
- metal escutcheon, retroactively 6° adjustable
- printed head and hand shower symbol
- **GROHE SafeStop** safety button at 38°C ( calibration required )
- **GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included
- GROHE AquaDimmer, integrated shut off/diverter valve
- metal handles
- flow performance:
  - outlet B = 27 l/min
  - outlet C = 30 l/min
- **without roughing-in-set**



## 24 135 003 THERMOSTATIC SHOWER MIXER FOR 2 OUTLETS WITH INTEGRATED SHUT OFF/DIVERTER VALVE



## 24 135 003 THERMOSTATIC SHOWER MIXER FOR 2 OUTLETS WITH INTEGRATED SHUT OFF/DIVERTER VALVE



### SPARE PARTS

- 1: Mounting plate (Order-nr. 49080000)
- 2: Temperature control handle (Order-nr. 49089000)
- 3: Escutcheon (Order-nr. 49074000)
- 4: Shut-off handle Aquadimmer (Order-nr. 49090000)
- 5: Aquadimmer (Order-nr. 49084000)
- 6: Thermostatic compact cartridge 3/4" (Order-nr. 49028000)
- 7: Non-return valve (Order-nr. 49085000)
- 8: Sealing washer (Order-nr. 48360000)
- 9: GROHE TurboStat cartridge 3/4" (Order-nr. 49003000)\*
- 10: Service stops (Order-nr. 1405300M)\*
- 11: Socket Spanner (Order-nr. 49059000)\*
- 12: Backflow protection combination (DIN-EN1717) (Order-nr. 14055000)\*
- 13: Universal extension set 2-handle thermostats, 25 mm (Order-nr. 14058000)

\*

\* Optional accessories